# AIR TUROUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 . CH-1844 Villeneuve . +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



# EP EMERGENCY PARACHUTE

# INSPECTION CERTIFICATE

Inspection certicicate number: EP 142.2016

**MANUFACTURER DATA** 

Manufacturer name: Leechute Co. Ltd.

> Representative Jun Youn Lee

> > Street: 103-202, 25#, Gyeongchung-daero

Post code / place: 1422 beon-gil, Gwangju-si, Gyeonggi-do

> Country: Korea

SAMPLE DATA

Size: 100 Name: Square

\*Payload [kg]: 100 Type: Unsteerable

\*Total weight in flight minus Weight [kg]: 1187

weight of paraglider

3580 Volume packed [cm3]: Use: Single-seater

LCR-SQR151101 Date of reception: 11.11.2015 Serial number flight:

11.11.2015 Date of reception: Serial number load: LCR-SQR151102

PLACE DATES TEST REPORT SUMMARY RESULTS Villeneuve 06 01 2016 EP1 Deployment system strength test **POSITIVE** 24.11.2015 Villeneuve **POSITIVE** EP2 Speed of opening, descent rate and stability test Illarsaz 18.02.2016 EP3 Strength test / opening shock **POSITIVE POSITIVE** Villeneuve 21.12.2015 EP4 Connecting strap (riser) EP5 Interaction and stability test N/A n/a n/a

ISSUE DATA

Date of issue: 09.08.2016

Place of declaration: Villeneuve

Alain Zoller Managing Director:

Signature:

This signature aprouve the validity of the test reports EP 1 to EP 5 (Only if test report are applicable).

Air Turquoise SA, having thoroughly assessed the sample mentioned hereunder, declare it was found conform with all requirements defined by the following directives:

EN 12491:2001

Present declaration's scope only extends to the conformity of a given sample, on a given date and in a given place – as mentioned here above.

This inspection report contain the following test and is complet with the test report number EP1 to EP4, EP5 for stearable model only

This declaration must not be reproduced in part without the written permission of AIR TURQUOISE SA.

# **Deployment system strength test**

# **TEST REPORT EP 1**

EP PARAGLIDERS RESCUE SYSTEMS

Inspection certicicate ref. number: EP\_142.2016

MANUFACTURER DATA

Manufacturer name: Leechute Co. Ltd.

Representative Jun Youn Lee

Street: 103-202, 25#, Gyeongchung-daero

Post code / place: 1422 beon-gil, Gwangju-si, Gyeonggi-do

Country: Korea

SAMPLE DATA

Name: Square

Size: 100

Payload [kg]: 100

Serial number: LCR-SQR151102

Date of reception: 11.11.2015

ISSUE DATA

Place of test: Villeneuve

Date of test: 06.01.2016

Inspector: Alain Zoller

Results: POSITIVE

Directive: EN 12491 | 2001 chapter 5.3.2

The deployment system (the connection between handgrip and inner container) is loaded at min 700 [N] over 10 secondes. The deployment system is loaded until breaking. Each component is tested.

### ATMOSPHERE AGL

[C°] 20.2

RH [%] 38

[hPa] 997.8

### **RESULTS**

## Minimum strength required during min 10s: 700 [N]

Strength of 700 N duration each components no1 [s]: 1.68

Strength of 700 N duration each components no2 [s]: 21.3

Strength of 700 N duration each components no3 [s]: n/a

Uncertainty K=2 [N]: 17.0

Calculed time value for minimum strength [s]: 1.68

## Max strength components:

Max strength components no1 [N]: 1297.0

Max strength components no2 [N]: 1.304

Max strength components no3 [N]: n/a

Uncertainty K=2 [N]: 17.0

Calculed max strength value [N]: 1.3

Calculed value include the value minus the uncertainty (on safe side) / The uncertainty stated is the expanded uncertainty obtained by multiplying the standard uncertainty by the coverage factor k = 2. The value of the measurand lies within the assigned range of values with a probability of 95%.

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes

# **Deployment system strength test**


## **TEST REPORT EP 1**

**EP PARAGLIDERS RESCUE SYSTEMS** 


Inspection certicicate ref. number: EP\_142.2016

# **GRAPHIQUE RESULTS**


## Min strength 10 sec. each components 1



## Min strength 10 sec. each components 2



# Min strength 10 sec. each components 3



Involved test	Item	Validity	Manufacturer	Type nr.	S/N
Deployment system strength test	Load Cell (axial)	11.06.2016	Burster / MTS	8431-10000	1185483
Deployment system strength test	Winch	15.01.2018	Arwin	300/600	n/a
Weather	Geos n° 11 Skywa	tc 08.05.2017	JDC elec.	Geos nº 11	22

# Speed of opening and descent rate and stability test

**TEST REPORT EP 2** 

EP PARAGLIDERS RESCUE SYSTEMS

Inspection certicicate ref. number: EP\_142.2016

MANUFACTURER DATA

Manufacturer name: Leechute Co. Ltd.

Representative Jun Youn Lee

Street: 103-202, 25#, Gyeongchung-daero

Post code / place: 1422 beon-gil, Gwangju-si, Gyeonggi-do

Country: Korea

SAMPLE DATA

Name: Square

Size: 100
Payload [kg]: 100

Serial number: LCR-SQR151101

Date of reception: 11.11.2015

Place of tests: Villeneuve

Date of tests: 24.11.2015

Test no2

Villeneuve

24.11.2015

Inspectors: AZ Claude Thurnheer

Results: POSITIVE POSITIVE

Directive: EN 12491:2001 & 5.3.3 / 5.3.4

The rescue system is droped from a paraglider in straight flight at 8 [m/s] +-1 [m/s] and a vertical airspeed of less than 1,5 [m/s]. The paraglider is released as the rescue system begins to open. Wink link 200 [N] is used to measure the speed opening.

After a minimum of 100 m of descent, the average rate of descent is measured over 30 m of descent.

The test is carried out twice.

ATMOSPHERE AGL	Test no1	Test no2
[C°]	3.1	3.1
RH [%]	69	64
[hPa]	978.6	982.5
Wind [m/s]	0.9	0.5

# RESULTS EN

Time of opening test: POSITIVE

Requirement time from the instant of free drop until a 5.00

load of 200 [N] is sustained [s]:

Calculed sink rate test: POSITIVE

Maximum sink rate test requirements [m/s]: 5.50

Stability test: POSITIVE

Behavior during descent stability test: 1 Stable

Calculed value include the value minus the uncertainty (on safe side) / The uncertainty stated is the expanded uncertainty obtained by multiplying the standard uncertainty by the coverage factor k = 2. The value of the measurand lies within the assigned range of values with a probability of 95%.

The tests do not include any compatibility tests with alternative inner containers.

# Speed of opening and descent rate and stability test

**TEST REPORT EP 2** 

PARAGLIDERS RESCUE SYSTEMS

Inspection certicicate ref. number: EP\_142.2016

WINK LINKS 1



# WINK LINKS 2



Involved test	Item	Validity	Manufacturer	Type nr.	S/N
Deployment system strength test	Weak links	2030	Tost	n/a	n/a
Descent rate and stability test	Line 30 meters	2020	Air Turquoise	n/a	n/a
Weather	Geos n° 11 Skywatch	08.05.2017	JDC elec.	Geos nº 11	22

# Strength test / opening shock

#### **TEST REPORT EP 3**

**EP PARAGLIDERS RESCUE SYSTEMS** 

Inspection certicicate ref. number: EP\_142.2016

MANUFACTURER DATA

Manufacturer name: Leechute Co. Ltd.

Representative Jun Youn Lee

Street: 103-202, 25#, Gyeongchung-daero

Post code / place: 1422 beon-gil, Gwangju-si, Gyeonggi-do

Country: Korea

SAMPLE DATA

Name: Square
Size: 100
Payload [kg]: 100

Serial number: LCR-SQR151101

Date of reception: 11.11.2015

ISSUE DATA Test no1 Test no2

Place of test: Illarsaz Illarsaz

Date of test: 1 I 2 18.02.2016 18.02.2016

Inspector: Alain Zoller Alain Zoller

Results: POSITIVE

Directive: EN 12491:2001 & 5.3.5.1

### 40 m/s opening shock

The emergency parachute (in its standard inner container and packed according to the user's manual instructions) is stowed on the drop test device. The test parachute's riser (or both risers in the case of a two riser parachute) is (are) connected to the single anchor point on the drop test device using the connector(s) specified and supplied by the parachute manufacturer.

The drop test device is accelerated to a straight line velocity of 40 m/s and the parachute deployed using its handle or handle attachment point by a static line attached to a drogue chute or similar low force deployment system.

The test is carried out twice with the same parachute.

a) in both tests the emergency parachute shall open fully and absorb the opening shock;

b) in both tests the emergency parachute system shall not suffer any significant failure of the primary structure (except in the case of any shock absorbing device which is intended to be replaced after any deployment);

c) in the case of a steerable parachute, in both tests, the controls shall remain locked.

ATMOSPHERE AGL	Test no1	Test no2
[C°]	1	7
RH [%]	78	60
[hPa]	970.8	970
Wind [m/s]	0.1	0.2

## TEST RESULTS

# Sample statut after shock

Strength test 40 m/s opening shock 1 POSITIVE

Strength test 40 m/s opening shock 2 POSITIVE

Aircraft speed Uncertainty K=2 [m/s] 1.7

Calculed value include the value minus the uncertainty (on safe side) / The uncertainty stated is the expanded uncertainty obtained by multiplying the standard uncertainty by the coverage factor k = 2. The value of the measurand lies within the assigned range of values with a probability of 95%.

Involved test	Item	Validity	Manufacturer	Type nr.	S/N
Strength test 40 m/s opening shock	Weight	2020	Air Turquoise	n/a	n/a
Weather	Geos n° 11	08.05.2017	JDC elec.	Geos nº 11	22
Strength test 40 m/s opening shock	Weak link	2020	Tost	n/a	n/a

# root too rately for paragradic, paragradi farmood and paragradi foot to pr

**Connecting strap (riser)** 

## **TEST REPORT EP 4**

# EP PARAGLIDERS RESCUE SYSTEMS

Inspection certicicate ref. number: EP\_142.2016

### **MANUFACTURER DATA**

Manufacturer name: Leechute Co. Ltd.

Representative Jun Youn Lee

Street: 103-202, 25#, Gyeongchung-daero

Post code / place: 1422 beon-gil, Gwangju-si, Gyeonggi-do

Country: Korea

## SAMPLE DATA

Name: Square Size: 100

Payload [kg]: 100
Serial number: LCR-SQR151102

Serial number: LCR-SQR15

Date of reception: 11.11.2015

## **ISSUE DATA**

Place of test: Villeneuve
Date of test: 21.12.2015
Inspector: Alain Zoller
Results: POSITIVE

The connecting strap has to have a minimum load capacity of 24000 [N]. The exposed part of the connecting belt has to be protected against environmental factors.

### ATMOSPHERE AGL

[C°] 21.8 RH [%] 42 [hPa] 1033.4

## RESULTS IN


Mininum required load 2400

Load capacity 1 2564

Uncertainty Uncertainty 95% 42

Max Strength 2521.6

Calculed value include the value minus the uncertainty (on safe side) / The uncertainty stated is the expanded uncertainty obtained by multiplying the standard uncertainty by the coverage factor k = 2. The value of the measurand lies within the assigned range of values with a probability of 95%.



Instruments	Manufacturer	Type nr.	Validity	S/N
Load sensor	НВМ	1-S9M/50KN-1	14.10.2017	31314652
Geos n°11 Skywatch	JDC	Geos nº 11	07.04.2017	0022