AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 . CH-1844 Villeneuve . +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Emergency parachute inspection certificate

Inspection certificate number:

EP_291.2020

Manufacturer data

Manufacturer name:

Gravity GmbH

Representative:

Street:

Hütte 45

Post code / Place:

6345 Kössen

Country:

Austria

Sample data

Name: Steerable (1) Weight (3) [kg] P-Light

150

No

Maximum weight in flight (2) [kg]:

150

1.68

volume packed [cm3]:

5500

Serial number flight: Serial number strength: 150-1C-2736 150-1C-2735 Date of reception: Date of reception: 13.06.2019 16.06.2019

Test report summary Speed of opening, descent rate, stability and glide ratio test 93.21

Strength test / opening shock 93.21 Inner container strength test 95.15 (4) Riser/bridle strength test 95.12 (5)

Results

POSITIVE Villeneuve **POSITIVE**

Muraz Villeneuve

Place

Date

27.08.2019 06.08.2019 30.09.2019 30.09.2019 Villeneuve

Issue data

Place of declaration:

Villeneuve

Date of issue:

05.10.2021

Managing director:

Andrea Wigger

MISC_140.2019

MISC_139.2019

Signature:

This signature approve the validity of the test reports 93.21, 95.12 and 95.15 (Only if test report are applicable).

Air Turquoise SA has thoroughly tested the sample of emergency parachute mentioned above and certifies its conformity with the following standards: EN 12491:2015 and LTF NfL II 91/09

This inspection certificate confirms that the above sample identified by its serial number and only this is in conforms with the standards.

The inspection certificate contain the tests mentioned above and it is complete with the test report number: 93.21. - 95.12 and 95.15 are also included, they can be tested

The declaration must not be reproduced in part without the written permission of Air Turquoise SA.

⁽f) If Steerable: Emergency Parachute fitted with controls for steering and landing flare. (2) Total weight in flight exclude weight of paraglider, also called payload - (3) Weight of the emergency parachute - (4) and (5) this item can be use for several models. The drift is controlled by anemometer Skywatch Eole