AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)2) 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Harness inspection certificate - EN

Inspection certificate number: PH 391.2023 Impact pad number: MISC 255.2023

Manufacturer data

Manufacturer name: **Niviuk Gliders Dominique Cizeau** Representative: C. Del Ter, 6-Nave D Street:

Post code / place: 17165 La Cellera de Ter Girona

Country: **Spain**

Sample data: **Harness** Impact pad

Name Impact pad: (1) Arrow P R **ARRFO P** Name: Impact pad integrated: (1) ABS No Type: Impact pad type: Foam М Size: Weight of Sample [kg]: (1) 1.21 0.32 Weight of Sample [kg]:

Serial number: (1) ARROWPMV4.1 **ARROWPMV6** Serial number:

Clip-in weight [kg]: 100

Integrated container for Yes

rescue system:

Volume container [cm³]: 6000 max 4000 min

23.01.2022 Date of reception:

Test report summary Structual test Impact pad test

POSITIVE POSITIVE Result Villeneuve Villeneuve Place 20.02.2023 06.06.2023 Date

Issue data

Place of declaration: Villeneuve 14.03.2023 Date of issue:

Andrea Wigger Managing Director:

Signature:

Revision 01: 27.06.2023

Date of reception:

This revision cancels and replaces the previous one.

24.05.2023

This signature approve the validity of the test reports 94.21b and 94.22 (only if test reports are applicable)

Air Turquoise SA, has thoroughly tested the sample mentioned above and certifies its conformity with the following standards:

EN1651:2018+A1:2020(2) and EN12491:2015+A1:2021(2)

The certificate of inspection is completed with test reports, if available, number: 94.21b and 94.22 The declaration must not be reproduced in part without the written permission of Air Turquoise SA

⁽¹⁾ If Impact pad is NOT integrated in the harness, it will have independently Inspection number, and serial number. Definition of integrated impact pad is impact pad which can not be dismounted from the harness, e.g. airbag

⁽²⁾ These standards are NOT covered by accreditation D-IS-19457-01