



ADVANCE

Classification: **B**

In accordance with standards:
EN 926-1:2015, EN 926-2:2013+A1:2021
and NfL 2024-2-785
Date of issue (DMY): 16.12.2025
Manufacturer: Advance Thun AG
Model: Pi 4 18
Serial number: 112158

PG_2623.2025

Configuration during flight tests

| Paraglider | | Accessories | |
|---------------------------------------|------------------|--|------|
| Maximum weight in flight [kg] | 95 | Range of speed system [cm] | 11.3 |
| Minimum weight in flight [kg] | 50 | Speed range using brakes [km/h] | 15 |
| Glider's weight [kg] | 2.1 | Total speed range with accessories [km/h] | 25 |
| Number of risers | 3 | Range of trimmers [cm] | n/a |
| Projected area [m²] | 15.94 | | |
| Harness used for testing (max weight) | | Inspections (whichever happens first) | |
| Harness type | ABS | every 24 months, 100 flying hours or 100 flight | |
| Harness brand | Woody Valley srl | | |
| Harness model | Wani Light 3 M | Person or company having presented the glider for testing: None | |
| Harness to risers distance [cm] | 44 | | |
| Distance between risers [cm] | 44 | | |

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
B A B A A A A A B A A B B A A A A A A A 0