AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Compte 8 • CH-1844 Villeneuve • +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





ADVANCE

Classification: C

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021 and NfL 2-565-20 Date of issue (DMY):	PG_2430.2024 09.09.2024
Manufacturer:	Advance Thun AG
Model:	SIGMA 12 DLS 26
Serial number:	105051

Configuration during flight tests

Paraglider					Α	cces	sorie	S											
Maximum weight in flight [kg]	114					Range of speed system [cm]										18.5			
Minimum weight in flight [kg]	92					Speed range using brakes [km/h]										14			
Glider's weight [kg]	4.3				Т	Total speed range with accessories [km/h]										28			
Number of risers		R	Range of trimmers [cm]									n/a							
Projected area [m ²]																			
Harness used for testing (max	ed for testing (max weight)							Inspections (whichever happens first)											
Harness type	•	ABS					every 24 months, 150 flying hours or 150 flights												
Harness brand	Woody Valley srl																		
Harness model	W	ani I	_ight	t 2 L	-								41						
	-							Person or company having presented the glider for testing: None											
Harness to risers distance [cm]		43																	
Distance between risers [cm]				48															
1 2 3 4 5 6	78	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
ВАВААА	ΑΑ	в	В	Α	С	Α	В	Α	Α	Α	в	Α	Α	Α	Α	0			

The validation of this test report is given by the signature of the test manager on inspection certificate 91.20 // Rev 07 | 04.03.2022 // ISO | 91.21 // Page 1 of 1