

Harness inspection certificate - EN

Inspection certificate number: PH_418.2023

Impact pad number: PH_418.2023

Manufacturer data

Manufacturer name: **AirDesign GmbH**
 Representative: **Stephan Stiegler**
 Street: **Rhomberstrasse 9, 4. Stock**
 Post code / place: **A-6067 Absam**
 Country: **Austria**

Sample data:

Harness
 Name: **The Sock Superlight**
 Type: **ABS**
 Size: **L**
 Weight of Sample [kg]: **1.85**
 Serial number: **Proto#5**
 Clip-in weight [kg]: **120**

Impact pad
 Name Impact pad: ⁽¹⁾ **AirPillow SL**
 Impact pad integrated: ⁽¹⁾ **No**
 Impact pad type: **Inflatable**
 Weight of Sample [kg]: ⁽¹⁾ **0.24**
 Serial number: ⁽¹⁾ **AN23045047-0**

Integrated container for
rescue system: **Yes**

Date of reception: **25.05.2023**

Volume container [cm³]: **5000 max**
2500 min

Date of reception: **24.01.2022**

Test report summary

Result
 Place
 Date

Structural test


POSITIVE
Villeneuve
08.02.2022

Impact pad test

POSITIVE
Villeneuve
25.05.2023

Issue data

Place of declaration: **Villeneuve**
 Date of issue: **12.09.2023**
 Managing Director: **Andrea Wigger**
 Signature:



"This inspection certificate is NOT covered by accreditation D-IS-19457-01."

This signature approve the validity of the test reports if available; no. 94.21b (test id 01,03,05,06,08,09,10,11,12,14,RRDT,RRST) and no. 94.22 (test id: P,PR)

Air Turquoise SA, having thoroughly assessed the sample mentioned above, declare it was found conform with all requirements defined by the following norms:

European Standard **EN1651:2018** and **EN12491:2015**

⁽¹⁾ If Impact pad is NOT integrated in the harness, it will have independently Inspection number, and serial number. Definition of integrated impact pad is impact pad which can not be dismantled from the harness, e.g. airbag.

Present declaration's scope only extends to the conformity of a given sample, on a given date and in a given place – as mentioned here above.

This inspection certificate contain the following test and is complet with the test, if available, report: 94.21 and 94.22