AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Paraglider inspection certificate

Inspection certificate number:

PG 1815.2021

Manufacturer data

Manufacturer name:

Ozone Gliders

Representative

Russell Oaden

Street:

2, Queens Drive

Post code / place:

LA46LN

Country:

UK

Sample data

Name:

Zeolite XD S

Size:

Single-seater

Min weight in flight [kg]:

65

Max weight in flight [kg]:

85

Weight [kg]:

2.5

Number of seat:

Single-seater

Sample load serial number:

Date of reception:

Sample flight serial number :

PR3-U-03C-016

Date of reception:

04.02.2019

Test report summary

Result

Place

Date of test

91.23 | Shock loading test:

91.27 | Suspension line calculation:

Test done on size MS, inspection PG_1816.2021 Test done on size MS, inspection PG_1816.2021

04.02.2021 05.02.2021

91.23 | Sustained loading test: 91.22 | Flight test:

Villeneuve

23.02.2019

91.24 | Measurement:

POSITIVE POSITIVE

Villeneuve Villeneuve

28.02.2019 01.03.2019

Issue data

Place of declaration:

Villeneuve

Date of issue:

17.03.2021

Managing Director:

Alain Zoller Signature:

This signature approve the validity of the test reports 91.22, 91.23, 91.24 and 91.27 (Only if test report are applicable).

Air Turquoise SA has thoroughly tested the sample of paraglider mentioned above and certifies its conformity with the following standards: EN 926-2:2013 / EN 926-1:2015 / LTF: NFL II 91/09

This inspection certificate confirms that the above sample identified by its serial number and only this is in conforms with the standards.

The inspection certificate contain the following test and is complete with the test report number: 91.22, 91.23, 91.24, 91.27 (If the 91.23 tests are not done, it has been done for another size of a sample within the definition of same model)

The declaration must not be reproduced in part without the written permission of Air Turquoise SA.

ISO 91.28 BR | Rev 18 | 21.11.2019