AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Harness inspection certificate - LTF

Inspection certificate number:

PH 309.2020

Impact pad number:

MISC 142.2019

Manufacturer data

Manufacturer name: Representative:

OZONE Gliders Russell Ogden

Street

2, Queens Drive

Post code / place:

LA46LN

Country:

UK

Sam	ple	data:	

Serial number:

rescue system: Volume container [cm3]:

Clip-in weight [kg]:

Weight of Sample [kg]:

Integrated container for

Harness

Impact pad

Name: Type: Size:

Switch ABS M/L 2.9 001

120 Yes Name Impact pad: (1) Impact pad integrated: (1) Impact pad type: Weight of Sample [kg]: (1) Serial number:(1)

SolosLite inflatable protector Inflatable 0.124 protector001

6000 max 3000 min

Date of reception:

21.05.2020

17.12.2019

Test report summary

Structual test

Impact pad test

Date of reception:

Result Place Date

POSITIVE Villeneuve 13.07.2020

POSITIVE Villeneuve 17.12.2019

Issue data

Place of declaration: Date of issue:

Managing Director:

Villeneuve 25.03.2021 Alain Zoller

Signature:

This signature approve the validity of the test reports if available; no. 94.21 (test id 02, 03, 13, 09, 04, 14, 07) and no. 94.22 (test id: P, PR) Air Turquoise SA, having thoroughly assessed the sample mentioned above, declare it was found conform with all requirements defined by the following norms:

European Standard EN1651:1999, and EN12491:2015 - Airworthiness Requirements LTF NfL II 91/09

Present declaration's scope only extends to the conformity of a given sample, on a given date and in a given place – as mentioned here above. This inspection certificate contain the following test and is complet with the test, if available, report: 94.21 and 94.22

⁽f) If Impact pad is NOT integrated in the harness, it will have independently Inspection number, and serial number. Definition of integrated impact pad is impact pad which can not be dismounted from the harness, e.g. airbag.