

Class:



POVVERGLIDERS www.FlyParamania.com info@FlyParamania.com

Accordance with **EN** standards **926-2:2005** & **926-1:1995**:

PG 011.2006

Date of issue (D.M.Y):

11.10.2006

MANUFACTURER:	PARAMANIA

MODEL: ACTION GT 26

Configuration during flight tests

Paraglider

Harness used for flight tests

ABS Type: Maximum total weight in flight: 100 kg **Sol Paragliders** Brand name: Minimum total weight in flight: 65 kg Slider L Model: Weight of the paraglider: 8 kg Seat to lowest part of risers distance: 45 cm Number of risers: Distance between top of connectors centerlines: 46 cm Projected area: m² 24 For detailed information regarding harness settings used for flight tests, please refer to flight tests reports.

Accessories

Range of the speed system:	No cm	Rar	ge of trimmers:	No	cm
Speed range using brakes:	12 km/h	Tota acc	al speed range with essories:	0	km/h
Inspections (whichever happ	ens earlier) :				
12 months or 100 hours flying time			Serial no:		
Warning! before use refer to user 's manual.		al.	Date of manufacturing	:	

Person or compagny having presented Cambell-John Pascal / F-79600 Airvault the glider for testing:

Conformity tests according to EN 926-2:2005 & EN 926-1:1995 standards carried out by:

A I R TURQUOISE	AIR TURQUOISE Rue de la Poterlaz, 6 Case postale 10 1844 Villeneuve Switzerland	AIR TURQUOISE Tel Fax email	00-41 (0) 79 202 52 30 00-41 (0) 21 965 65 66 info@airturquoise.ch www.cen.li
A B C D		X	



Class:



POVVERGLIDERS www.FlyParamania.com info@FlyParamania.com

Accordance with **EN** standards **926-2:2005** & **926-1:1995**:

PG 011.2006

Date of issue (D.M.Y):

11.10.2006

MANUFACTURER:	PARAMANIA

MODEL: ACTION GT 26

Configuration during flight tests

Paraglider

Harness used for flight tests

ABS Type: Maximum total weight in flight: 100 kg **Sol Paragliders** Brand name: Minimum total weight in flight: 65 kg Slider L Model: Weight of the paraglider: 8 kg Seat to lowest part of risers distance: 45 cm Number of risers: Distance between top of connectors centerlines: 46 cm Projected area: m² 24 For detailed information regarding harness settings used for flight tests, please refer to flight tests reports.

Accessories

Range of the speed system:	No cm	Rar	ge of trimmers:	No	cm
Speed range using brakes:	12 km/h	Tota acc	al speed range with essories:	0	km/h
Inspections (whichever happ	ens earlier) :				
12 months or 100 hours flying time			Serial no:		
Warning! before use refer to user 's manual.		al.	Date of manufacturing	:	

Person or compagny having presented Cambell-John Pascal / F-79600 Airvault the glider for testing:

Conformity tests according to EN 926-2:2005 & EN 926-1:1995 standards carried out by:

A I R TURQUOISE	AIR TURQUOISE Rue de la Poterlaz, 6 Case postale 10 1844 Villeneuve Switzerland	AIR TURQUOISE Tel Fax email	00-41 (0) 79 202 52 30 00-41 (0) 21 965 65 66 info@airturquoise.ch www.cen.li
A B C D		X	



Class:



POVVERGLIDERS www.FlyParamania.com info@FlyParamania.com

Accordance with **EN** standards **926-2:2005** & **926-1:1995**:

PG 011.2006

Date of issue (D.M.Y):

11.10.2006

MANUFACTURER:	PARAMANIA

MODEL: ACTION GT 26

Configuration during flight tests

Paraglider

Harness used for flight tests

ABS Type: Maximum total weight in flight: 100 kg **Sol Paragliders** Brand name: Minimum total weight in flight: 65 kg Slider L Model: Weight of the paraglider: 8 kg Seat to lowest part of risers distance: 45 cm Number of risers: Distance between top of connectors centerlines: 46 cm Projected area: m² 24 For detailed information regarding harness settings used for flight tests, please refer to flight tests reports.

Accessories

Range of the speed system:	No cm	Rar	ge of trimmers:	No	cm
Speed range using brakes:	12 km/h	Tota acc	al speed range with essories:	0	km/h
Inspections (whichever happ	ens earlier) :				
12 months or 100 hours flying time			Serial no:		
Warning! before use refer to user 's manual.		al.	Date of manufacturing	:	

Person or compagny having presented Cambell-John Pascal / F-79600 Airvault the glider for testing:

Conformity tests according to EN 926-2:2005 & EN 926-1:1995 standards carried out by:

A I R TURQUOISE	AIR TURQUOISE Rue de la Poterlaz, 6 Case postale 10 1844 Villeneuve Switzerland	AIR TURQUOISE Tel Fax email	00-41 (0) 79 202 52 30 00-41 (0) 21 965 65 66 info@airturquoise.ch www.cen.li
A B C D		X	