AIR TURQUOISE | PARA-TEST.COM
Route du Pré-au-Compte 8 ▲ CH-1844 Villeneuve

Test laboratory for paragliders, paraglider harnesses
and paraglider reverse parachutes

paragliding by air turquoise

# Flight test report: EN 926-2:2013+A1:2021 and NfL 2024-2-785

| | | | |
|---|---|---|---|
| Manufacturer | **Triple Seven paragliders** | Certification number | PG_2766.2026 |
| Address | Ulica Ane Ziherlove 10<br>1000 Ljubljana<br>Slovenia | Flight test | 19.03.2024 |
| Glider model | **R-light 4 MS** | **Classification** | **B** |
| Serial number | TS-0278 | Representative | None |
| Trimmer | no | Place of test | Villeneuve |
| Folding lines used | no | | |

| | | |
|---|---|---|
| **Test pilot** | Claude Thurnheer | Alexandre Jofresa |
| **Harness** | Advance Thun AG Success 4 M | Advance Thun AG Success 4 M |
| **Harness to risers distance [cm]** | 43 | 43 |
| **Distance between risers [cm]** | 44 | 44 |
| **Total weight in flight [kg]** | 80 | 98 |

| | | | | | |
|---|---|---|---|---|---|
| **1. Inflation/Take-off** | **B** | | | | |
| Rising behaviour | Easy rising, some pilot correction is required | B | | Easy rising, some pilot correction is required | B |
| Special take off technique required | No | A | | No | A |
| **2. Landing** | **A** | | | | |
| Special landing technique required | No | A | | No | A |
| **3. Speed in straight flight** | **B** | | | | |
| Trim speed more than 30 km/h | Yes | A | | Yes | A |
| Speed range using the controls larger than 10 km/h | Yes | A | | Yes | A |
| Minimum speed | Less than 25 km/h | A | | 25 km/h to 30 km/h | B |
| **4. Control movement** | **A** | | | | |
| **Max. weight in flight up to 80 kg** | | | | | |
| Symmetric control pressure / travel | not available | 0 | | not available | 0 |
| **Max. weight in flight 80 kg to 100 kg** | | | | | |
| Symmetric control pressure / travel | Increasing / greater than 60 cm | A | | Increasing / greater than 60 cm | A |
| **Max. weight in flight greater than 100 kg** | | | | | |
| Symmetric control pressure / travel | not available | 0 | | not available | 0 |
| **5. Pitch stability exiting accelerated flight** | **A** | | | | |
| Dive forward angle on exit | Dive forward less than 30° | A | | Dive forward less than 30° | A |
| Collapse occurs | No | A | | No | A |
| **6. Pitch stability operating controls during accelerated flight** | **A** | | | | |
| Collapse occurs | No | A | | No | A |
| **7. Roll stability and damping** | **A** | | | | |
| Oscillations | Reducing | A | | Reducing | A |
| **8. Stability in gentle spirals** | **A** | | | | |
| Tendency to return to straight flight | Spontaneous exit | A | | Spontaneous exit | A |

| | | | | |
|---|---|---|---|---|
| **9. Behaviour exiting a fully developed spiral dive** | **B** | | | |
| Initial response of glider (first 180°) | No immediate reaction | B | No immediate reaction | B |
| Tendency to return to straight flight | Spontaneous exit (g force decreasing, rate of turn decreasing) | A | Spontaneous exit (g force decreasing, rate of turn decreasing) | A |
| Turn angle to recover normal flight | 720° to 1 080°, spontaneous recovery | B | Less than 720°, spontaneous recovery | A |
| **10. Symmetric front collapse** | **B** | | | |
| **Approximately 30 % chord** | | | | |
| Entry | Rocking back less than 45° | A | Rocking back less than 45° | A |
| Recovery | Spontaneous in less than 3 s | A | Spontaneous in 3 s to 5 s | B |
| Dive forward angle on exit Change of course | Dive forward 0° to 30° / Keeping course | A | Dive forward 0° to 30° / Keeping course | A |
| Cascade occurs | No | A | No | A |
| Folding lines used | No | A | No | A |
| **At least 50% chord** | | | | |
| Entry | Rocking back less than 45° | A | Rocking back less than 45° | A |
| Recovery | Spontaneous in 3 s to 5 s | B | Spontaneous in 3 s to 5 s | B |
| Dive forward angle on exit / Change of course | Dive forward 0° to 30° / Keeping course | A | Dive forward 0° to 30° / Keeping course | A |
| Cascade occurs | No | A | No | A |
| Folding lines used | No | A | No | A |
| **With accelerator** | | | | |
| Entry | Rocking back less than 45° | A | Rocking back less than 45° | A |
| Recovery | Spontaneous in 3 s to 5 s | B | Spontaneous in less than 3 s | A |
| Dive forward angle on exit / Change of course | Dive forward 0° to 30° / Keeping course | A | Dive forward 0° to 30° / Keeping course | A |
| Cascade occurs | No | A | No | A |
| Folding lines used | No | A | No | A |
| **11. Exiting deep stall (parachutal stall)** | **A** | | | |
| Deep stall achieved | Yes | A | Yes | A |
| Recovery | Spontaneous in less than 3 s | A | Spontaneous in less than 3 s | A |
| Dive forward angle on exit | Dive forward 0° to 30° | A | Dive forward 0° to 30° | A |
| Change of course | Changing course less than 45° | A | Changing course less than 45° | A |
| Cascade occurs | No | A | No | A |
| **12. High angle of attack recovery** | **A** | | | |
| Recovery | Spontaneous in less than 3 s | A | Spontaneous in less than 3 s | A |
| Cascade occurs | No | A | No | A |
| **13. Recovery from a developed full stall** | **A** | | | |
| Dive forward angle on exit | Dive forward 0° to 30° | A | Dive forward 0° to 30° | A |
| Collapse | No collapse | A | No collapse | A |
| Cascade occurs (other than collapses) | No | A | No | A |

| | | | | |
|---|---|---|---|---|
| Rocking back | Less than 45° | A | Less than 45° | A |
| Line tension | Most lines tight | A | Most lines tight | A |
| **14. Asymmetric collapse** | **B** | | | |
| **Small asymmetric collapse** | | | | |
| Change of course until re-inflation / Maximum dive forward or roll angle | Less than 90° / Dive or roll angle 15° to 45° | A | Less than 90° / Dive or roll angle 0° to 15° | A |
| Re-inflation behaviour | Spontaneous re-inflation | A | Spontaneous re-inflation | A |
| Total change of course | Less than 360° | A | Less than 360° | A |
| Collapse on the opposite side occurs | No (or only a small number of collapsed cells with a spontaneous reinflation) | A | No (or only a small number of collapsed cells with a spontaneous reinflation) | A |
| Twist occurs | No | A | No | A |
| Cascade occurs | No | A | No | A |
| Folding lines used | No | A | No | A |
| **Large asymmetric collapse** | | | | |
| Change of course until re-inflation / Maximum dive forward or roll angle | 90° to 180° / Dive or roll angle 15° to 45° | B | 90° to 180° / Dive or roll angle 15° to 45° | B |
| Re-inflation behaviour | Spontaneous re-inflation | A | Spontaneous re-inflation | A |
| Total change of course | Less than 360° | A | Less than 360° | A |
| Collapse on the opposite side occurs | No (or only a small number of collapsed cells with a spontaneous reinflation) | A | No (or only a small number of collapsed cells with a spontaneous reinflation) | A |
| Twist occurs | No | A | No | A |
| Cascade occurs | No | A | No | A |
| Folding lines used | No | A | No | A |
| **Small asymmetric collapse with fully activated accelerator** | | | | |
| Change of course until re-inflation / Maximum dive forward or roll angle | Less than 90° / Dive or roll angle 15° to 45° | A | Less than 90° / Dive or roll angle 15° to 45° | A |
| Re-inflation behaviour | Spontaneous re-inflation | A | Spontaneous re-inflation | A |
| Total change of course | Less than 360° | A | Less than 360° | A |
| Collapse on the opposite side occurs | No (or only a small number of collapsed cells with a spontaneous reinflation) | A | No (or only a small number of collapsed cells with a spontaneous reinflation) | A |
| Twist occurs | No | A | No | A |
| Cascade occurs | No | A | No | A |
| Folding lines used | No | A | No | A |
| **Large asymmetric collapse with fully activated accelerator** | | | | |
| Change of course until re-inflation / Maximum dive forward or roll angle | 90° to 180° / Dive or roll angle 15° to 45° | B | 90° to 180° / Dive or roll angle 15° to 45° | B |
| Re-inflation behaviour | Spontaneous re-inflation | A | Spontaneous re-inflation | A |
| Total change of course | Less than 360° | A | Less than 360° | A |
| Collapse on the opposite side occurs | No (or only a small number of collapsed cells with a spontaneous reinflation) | A | No (or only a small number of collapsed cells with a spontaneous reinflation) | A |
| Twist occurs | No | A | No | A |
| Cascade occurs | No | A | No | A |

| | | | | |
|---|---|---|---|---|
| Folding lines used | No | A | No | A |
| **15. Directional control with a maintained asymmetric collapse** | **A** | | | |
| Able to keep course | Yes | A | Yes | A |
| 180° turn away from the collapsed side possible in 10 s | Yes | A | Yes | A |
| Amount of control range between turn and stall or spin | More than 50 % of the symmetric control travel | A | More than 50 % of the symmetric control travel | A |
| **16. Trim speed spin tendency** | **A** | | | |
| Spin occurs | No | A | No | A |
| **17. Low speed spin tendency** | **A** | | | |
| Spin occurs | No | A | No | A |
| **18. Recovery from a developed spin** | **B** | | | |
| Spin rotation angle after release | Stops spinning in 90° to 180° | B | Stops spinning in less than 90° | A |
| Cascade occurs | No | A | No | A |
| **19. B-line stall** | **A** | | | |
| Change of course before release | Changing course less than 45° | A | Changing course less than 45° | A |
| Behaviour before release | Remains stable with straight span | A | Remains stable with straight span | A |
| Recovery | Spontaneous in less than 3 s | A | Spontaneous in less than 3 s | A |
| Dive forward angle on exit | Dive forward 0° to 30° | A | Dive forward 0° to 30° | A |
| Cascade occurs | No | A | No | A |
| **20. Big ears** | **B** | | | |
| Entry procedure | Dedicated controls | A | Dedicated controls | A |
| Behaviour during big ears | Stable flight | A | Stable flight | A |
| Recovery | Spontaneous in less than 3 s | A | Recovery through pilot action in less than a further 3 s | B |
| Dive forward angle on exit | Dive forward 0° to 30° | A | Dive forward 0° to 30° | A |
| **21. Big ears in accelerated flight** | **B** | | | |
| Entry procedure | Dedicated controls | A | Dedicated controls | A |
| Behaviour during big ears | Stable flight | A | Stable flight | A |
| Recovery | Spontaneous in less than 3 s | A | Recovery through pilot action in less than a further 3 s | B |
| Dive forward angle on exit | Dive forward 0° to 30° | A | Dive forward 0° to 30° | A |
| Behaviour immediately after releasing the accelerator while maintaining big ears | Stable flight | A | Stable flight | A |
| **22. Alternative means of directional control** | **A** | | | |
| 180° turn achievable in 20 s | Yes | A | Yes | A |
| Stall or spin occurs | No | A | No | A |
| **23. Any other flight procedure and/or configuration described in the user's manual** | **0** | | | |
| Procedure works as described | not available | 0 | not available | 0 |
| Procedure suitable for novice pilots | not available | 0 | not available | 0 |
| Cascade occurs | not available | 0 | not available | 0 |