



Classification: **A**

In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG\_2052.2022

12.05.2023

U-Turn

Annapurna 2 XS

LM-EM4-4XS-33SK-7675

## Configuration during flight tests

### Paraglider

|                               |              |
|-------------------------------|--------------|
| Maximum weight in flight (kg) | <b>80</b>    |
| Minimum weight in flight (kg) | <b>55</b>    |
| Glider's weight (kg)          | <b>2.8</b>   |
| Number of risers              | <b>3+1</b>   |
| Projected area (m2)           | <b>18.19</b> |

### Accessories

|   |             |
|---|-------------|
| Range of speed system (cm)                | <b>16.1</b> |
| Speed range using brakes (km/h)           | <b>14</b>   |
| Total speed range with accessories (km/h) | <b>22</b>   |
| Range of trimmers (cm)                    | <b>0</b>    |

### Harness used for testing (max weight)

|                                 |                    |
|---------------------------------|--------------------|
| Harness type                    | <b>ABS</b>         |
| Harness brand                   | <b>Advance</b>     |
| Harness model                   | <b>Success 4 M</b> |
| Harness to risers distance (cm) | <b>43</b>          |
| Distance between risers (cm)    | <b>44</b>          |

### Inspections (whichever happens first)

|  |
|--|
| Every 2 years or every 100 flight hours                                |
| Warning! Before use refer to user's manual                             |
| Person or company having presented the glider for testing: <b>None</b> |

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A 0**